

Claim Amendments
With complete listing of all claims

Claims 1-5 (Cancelled)

6. (Previously Presented) A germicidal lamp for use in a purification system comprising:

a cylindrical ultraviolet lamp; and
a transparent envelope having an exterior non-uniform surface contour enclosing said cylindrical ultraviolet lamp,
whereby the exterior non-uniform surface contour is capable of creating turbulent flow.

7. (Original) A germicidal lamp as in claim 6 wherein:
the exterior non-uniform surface comprises grooves.

8. (Original) A germicidal lamp as in claim 6 wherein:
the exterior non-uniform surface comprises a helix.

9. (Original) A germicidal lamp as in claim 6 wherein:
the exterior non-uniform surface comprises a double helix.

10. (Original) A germicidal lamp as in claim 6 wherein:
said ultraviolet lamp comprises a fluorescent lamp.

11. (Previously Presented) A water purification system comprising:

a chamber for containing a fluid to be purified; and
an ultraviolet lamp comprising an exterior non-uniform surface contour placed within said chamber so that the fluid to be purified flows over the exterior non-uniform surface contour, whereby the exterior non-uniform surface contour is capable of creating turbulent flow.

12. (Previously Presented) A water purification system comprising:

a chamber for containing a fluid to be purified;
an ultraviolet lamp comprising an exterior non-uniform surface contour placed within said chamber, wherein said ultraviolet lamp comprises,
a cylindrical lamp; and
a transparent envelope placed over said cylindrical lamp, said transparent envelope having the exterior non-uniform surface contour, said transparent envelope placed within said chamber so that the fluid to be purified flows over the exterior non-uniform surface contour,
whereby the exterior non-uniform surface contour is capable of creating turbulent flow.

13. (Original) A water purification system as in claim 11
wherein:

the non-uniform surface contour comprises grooves.

14. (Original) A water purification system as in claim 11
wherein:

the non-uniform surface contour comprises a helix.

15. (Original) A water purification system as in claim 11
wherein:

said ultraviolet lamp comprises a fluorescent lamp.

Claim 16 (Cancelled)

17. (Previously Presented) An air purification system
comprising:

a room having air therein;

an ultraviolet lamp having an exterior non-uniform surface
contour placed within said room, wherein said ultraviolet lamp
comprises,

a cylindrical lamp; and

a transparent envelope placed over said cylindrical lamp,
said transparent envelope having the exterior non-uniform surface
contour,

whereby the exterior non-uniform surface contour is capable
of creating turbulent flow in the air.

Claims 18-21 (Cancelled)

22. (Previously Presented) A method of purifying a fluid
comprising the steps of:

providing fluid having a flow; and

placing within the fluid flow an ultraviolet lamp comprising
an exterior non-uniform surface contour, so that the fluid flows
over the exterior non-uniform surface contour,

whereby the exterior non-uniform surface contour is capable
of creating turbulent flow.

23. (Previously Presented) A fluid purification system
comprising:

a chamber for containing a fluid to be purified;

a cylindrical ultraviolet lamp,

a tubular transparent envelope having an exterior non-
uniform surface contour placed over said cylindrical ultraviolet

lamp, said cylindrical ultraviolet lamp and said tubular transparent envelope placed within said chamber;

at least one end cap placed on said tubular envelope sealing said cylindrical ultraviolet lamp within said tubular transparent envelope wherein the fluid to be purified can not enter between said cylindrical ultraviolet lamp and said tubular transparent envelope so that the fluid to be purified flows over the exterior non-uniform surface contour of said tubular transparent envelope; and

electrical connectors extending through said at least one end cap,

whereby the exterior non-uniform surface contour is capable of creating turbulent flow by contact with the fluid in said chamber.

24. (Previously Presented) A fluid purification system as in claim 23 wherein:

the longitudinal axis of said tubular transparent envelope is placed transverse to the flow direction of the fluid.